

-

Exam Room and OR Equipment

Essential Equipment from Cardinal Health



Your first priority is your patients. We're working to keep it that way.

Invest in equipment that's essential to your business.

At Cardinal Health, we apply our deep understanding of healthcare to deliver inventive, meaningful and cost-effective solutions that can help improve all aspects of patient care. The equipment you will find in this catalog is no exception. You can feel confident in our products and their durability. Choose from a range of seating options, step stools and more. Cardinal Health sales representatives can help you customize your order and find the right equipment to meet your unique needs. For more information or to place an order, please contact your Cardinal Health sales representative or customer service at 800.964.5227.

Contents

Seating products	
Instrument stands	4
Step stools	4
IV pole products	5
Hamper stands	5
Exam tables	6
Overbed tables	7
Lighting products	7
Waste cans	8
Kick bucket	8
Utility carts	9
Integrated wall systems	9



Cardinal Health[™] Seating Products

Pneumatic exam stool C11001 series

- Height adjustment: 17.5 in. 24.5 in.
- Weight capacity: 250 lbs.
- Comfortable 16 in. (width) x 4 in. (thickness) poly-foam seat cushion
- Chrome hooded dual-wheel casters
- 5-leg, 23 in. dia. brushed aluminum accent base
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C11001B	Black
C11001VB	Black with seamless upholstery
C11001C3B	Black with C133 compliant upholstery
C11001D	Dove
C11001VD	Dove with seamless upholstery
C11001C3D	Dove with C133 compliant upholstery
C11001T	Taupe
C11001VT	Taupe with seamless upholstery
C11001C3T	Taupe with C133 compliant upholstery

Pneumatic exam stool with foot ring⁺ C11001 series

- Height adjustment: 20 in. 27.5 in.
- Weight capacity: 250 lbs.
- Comfortable 16 in. (width) x 4 in. (thickness) poly-foam seat cushion
- Chrome hooded dual-wheel casters
- 5-leg, 23 in. dia. brushed aluminum accent base
- 18 in. adjustable chrome foot ring
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C11001FRB	Black with foot ring
C11001VFRB	Black with seamless upholstery and foot ring
C11001FRD	Dove with foot ring
C11001VFRD	Dove with seamless upholstery and foot ring
C11001FRT	Taupe with foot ring
C11001VFRT	Taupe with seamless upholstery and foot ring

[†]C133 compliant upholstery is not available with this product.

Available stool colors



Pneumatic exam stool with back

C11001B series

- Height adjustment: 17.5 in. 24.5 in.
- Weight capacity: 250 lbs.
- Comfortable 16 in. (width) x 4 in. (thickness) poly-foam seat cushion
- Chrome hooded dual-wheel casters
- 5-leg, 23 in. dia. brushed aluminum accent base
- Adjustable contoured backrest with black plastic shroud
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C11001BB	Black with back
C11001BVB	Black with back and seamless upholstery
C11001BC3B	Black with back and C133 compliant upholstery
C11001BD	Dove with back
C11001BVD	Dove with back and seamless upholstery
C11001BC3D	Dove with back and C133 compliant upholstery
C11001BT	Taupe with back
C11001BVT	Taupe with back and seamless upholstery
C11001BC3T	Taupe with back and C133 compliant upholstery

Pneumatic exam stool with back and foot ring

C11001B series

- Height adjustment: 20 in. 27.5 in.
- Weight capacity: 250 lbs.
- Comfortable 16 in. (width) x 4 in. (thickness) poly-foam seat cushion
- Chrome hooded dual-wheel casters
- 5-leg, 23 in. dia. brushed aluminum accent base
- Adjustable contoured backrest with black plastic shroud and foot ring
- 18 in. adjustable chrome foot ring
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C11001BFRB	Black with back and foot ring
C11001BVFB	Black with back, seamless upholstery and foot ring
C11001BF3B	Black with back, C133 compliant upholstery and foot ring
C11001BFRD	Dove with back and foot ring
C11001BVFD	Dove with back, seamless upholstery and foot ring
C11001BF3D	Dove with back, C133 compliant upholstery and foot ring
C11001BFRT	Taupe with back and foot ring
C11001BVFT	Taupe with back, seamless upholstery and foot ring
C11001BF3T	Taupe with back, C133 compliant upholstery and foot ring





Cardinal Health[™] Seating Products

Spin lift exam stool⁺

C22400 series

- Height adjustment: 17.75 in. 22 in.
- Weight capacity: 250 lbs.
- Comfortable 15 in. (width) x 4 in. (thickness)
 poly-foam seat cushion
- 5-leg, 21 in. dia. black ABS plastic composite base
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C22400B	Black
C22400VB	Black with seamless upholstery
C22400D	Dove
C22400VD	Dove with seamless upholstery
C22400T	Taupe
C22400VT	Taupe with seamless upholstery

[†]C133 compliant upholstery is not available with this product.

Value pneumatic exam stool

C22500 series

- Height adjustment: 17.75 in. 22 in.
- Weight capacity: 250 lbs.
- Comfortable 15 in. (width) x 4 in. (thickness) poly-foam seat cushion
- 5-leg, 21 in. dia. black ABS plastic composite base
- Limited 5-year manufacturer warranty**



Cat. no.	Description
C22500B	Black
C22500VB	Black with seamless upholstery
C22500C3B	Black with C133 compliant upholstery
C22500D	Dove
C22500VD	Dove with seamless upholstery
C22500C3D	Dove with C133 compliant upholstery
C22500T	Taupe
C22500VT	Taupe with seamless upholstery
C22500C3T	Taupe with C133 compliant upholstery

Side chairs (with and without arms)

- Ideal for the exam room, front office or waiting room environment
- Kick-out leg design helps to prevent wall dings and dents
- Comfortable, 2 in. thick poly-foam seat cushion (18 in. x 18 in.)
- Easy-to-clean, seamless upholstery
- Durable steel tube frame
- Contoured backrest (18 in. x 13.38 in.)
- Black plastic backrest shroud for easy cleaning and wall protection
- Floor to top of seat: 17 in.
- Floor to top of backrest: 31.75 in.
- Weight capacity 250 lbs.
- Meets BIFMA (Business and Institutional Furniture Manufacturer's Association) standards*
- Limited 5-year manufacturer warranty**

Cat. no.	Description
CBSC1200B	Side chair with arms, black
CBSC1200D	Side chair with arms, dove
CBSC1200T	Side chair with arms, taupe
CBSC1250B	Side chair without arms, black
CBSC1250D	Side chair without arms, dove
CBSC1250T	Side chair without arms, taupe

Available stool and side chair colors



*Data on file with Cardinal Health. **See full warranty information in product packaging insert

To order call 800.964.5227



Sturdy plastic arm rest measurements: - Inside arm width: 20 in. - Outside arm width: 23 in.







Cardinal Health[™] Instrument Stands

Mayo "California"-style base instrument stand

- Height adjustment: 34 in. 53 in.
- "California"-style base for easy positioning
- 1 in. chrome-plated steel tubing
- 2 rubber wheel, ball bearing casters
- Removable stainless steel tray: 19.25 in. x 12.62 in. x 0.75 in.
- Base: 20 in. wheels, 29 in. dia.
- Limited 5-year manufacturer warranty**

Cat. no.DescriptionC11100Double post base instrument stand

Mayo U-shaped base instrument stand

- Height adjustment: 32 in. 50 in.
- Designed for convenience during surgical procedures
- 1 in. chrome-plated steel tubing
- U-shaped base helps minimizes interference
- 2 rubber wheel, ball bearing casters
- Removable stainless steel tray: 19.25 in. x 12.62 in. x 0.75 in.
- Base: 19 in. wheels, 21 in. dia.
- Limited 5-year manufacturer warranty**



Cat. no.	Description
C43460	Single U base instrument stand

Cardinal Health[™] Step Stools

Step stool

- Dimensions: 8.75 in. (height) x 11.25 in. (width) x 14.25 in. (length)
- Weight capacity: 350 lbs.
- Chrome-plated 18 gauge steel for durability



 Limited 5-year manufacturer warranty**

Cat. no.	Description	
C11200-1	Steel step stool	

Step stool with handrail

- Dimensions: 8.75 in. (height) x 11.25 in. (width) x 14.25 in. (length)
- Weight capacity: 350 lbs.
- Chrome-plated 18 gauge steel for durability
- Skid-resistant rubber mat
- Handrail is 0.88 in. chrome-plated steel
- Height: 35.75 in. from top of rail to floor
- Limited 5-year manufacturer warranty**

Cat. no.	Descriptio
C11220	Steel step

Description Steel step stool with handrail



Cardinal Health[™] IV Pole Products

IV pole with 5 legs and 2 ram's horn hooks

- Height adjustment: 52.5 in. 92.75 in.
- · Load capacity: 45 lbs.
- 5-leg, 25 in. cast aluminum base for extra stability
- Chrome-plated steel tubing
- Dual wheel nylon casters
- Exclusive "No Loss" knob .
- Some assembly required .
- Limited 5-year manufacturer warranty** •

Cat. no.	Description
C11350	5 leg, 2 hook IV pole

D

C

IV pole with 5 legs and 4 ram's horn hooks

- Height adjustment: 52.5 in. 92.75 in.
- · Load capacity: 45 lbs.
- 5-leg, 25 in. cast aluminum base for extra stability
- Chrome-plated steel tubing
- Dual wheel nylon casters
- Exclusive "No Loss" knob
- · Some assembly required
- Limited 5-year manufacturer warranty**

Cat. no. C11360

Description 5 leg, 4 hook IV pole



Cardinal Health[™] Hamper Stands

Square tilt-top linen hamper

- Dimensions: 37 in. (height) x 18.5 in. (width) x 19.5 in. (dia.)
- · Open design for easy unloading and minimal lifting
- Step-on pedal for hands-free use •
- Steel prop for keeping lid open
- Gray epoxy-coated steel lid
- · Built-in bag holder for heavy-duty bag support
- Sturdy 4-wheel base with 3 in. locking rubber wheel, ball bearing casters
- · Some assembly required

Cat. no. C11410

Limited 5-year manufacturer warranty**

Description

Tilt-top square hamper

Round tilt-top linen hamper

- Dimensions: 35.75 in. (height) x 19 in. (dia. outside)
- Durable chrome-plated steel lid and frame
- Step-on pedal for hands-free use .
- "M" style base for stability
- Spring-loaded lid for easy opening
- · Sturdy 4-wheel base with 2 in. non-locking rubber wheel, ball bearing casters
- Some assembly required
- Limited 5-year manufacturer warranty**

Cat. no. Description C33334 Tilt-top round hamper



Recommended Hamper Liner

Cat. no.	Description	Packaging
260M	Linen liner soiled linen 30.5 in. x 41 in. 1.20 mil blue	250 ea/cs

More options are available. Please contact your local Cardinal Health sales representative for more information.

**See full warranty information in product packaging insert

To order call 800.964.5227

CardinalHealth[®] 5



Cardinal Health[™] Exam Tables

Exam tables

Safety

- Large patient step
- Stable four leg step design
- Large step surface: 17.7 in. x 20.4 in. (45cm x 51.8cm)

Comfort

- Simple pneumatic backrest for easier patient positioning
- Multi-density, bolstered support upholstery
- Leg extension / plastic debris tray
- Adjustable ergonomic stirrups

Storage

- Pass-through side drawers accessible from right or left side of the table
- Drawer stops (provided) allow drawer to open from only one side if desired
- Front drawer: 19.8 in. x 19.2 in. x 3.8 in. (50.3cm x 48.8cm x 9.7cm)
- Side drawers: 22.7 in. x 20.2 in. x 7 in. (57.4cm x 51.3cm x 17.8cm)
- Additional paper storage under backrest for up to six additional paper rolls
- Paper roll storage capacity: 23 in. x 23 in. x 3.25 in.
- Slide-through paper roll holder accepts 21 in. and 18 in. rolls (Recommended: Cardinal Health item number 62085-520)

Table Specifications

- 500 lb. weight capacity (226kg)
- Height: 32 in. (81.3cm)
- Width: 28 in. (71.1cm)
- Length: 57.3 in. extends to 71 in. (145.5cm 180.3cm)
- Leg extension length: 15 in. (38.1cm)
- Step height: 8 in. (20.3cm)
- Step length: 17.7 in. (45cm)
- Step width: 20.4 in. (51.8cm)
- · Hospital-grade duplex electrical outlets
- 5° pelvic tilt / 60-watt drawer heater in front top drawer (CTBL501T, CTBL501D, CTBL501B)
- UL 60601-1
- Limited 5-year manufacturer warranty**

Cat. no.	Description
CTBL500B	Exam table, 500lb, black
CTBL500D	Exam table, 500lb, dove
CTBL500T	Exam table, 500lb, taupe
CTBL501B	Exam Table with pelvic tilt and drawer warmer, 500lb, black
CTBL501D	Exam Table with pelvic tilt and drawer warmer, 500lb, dove
CTBL501T	Exam Table with pelvic tilt and drawer warmer, 500lb, taupe

Available exam table colors







Cardinal Health[™] Overbed Tables

"H"-base overbed table

- Height: 28.25 in. 43.25 in.
- Base: 15.25 in. x 26.38 in.
- Top: 15 in. x 31 in.
- Weight capacity: 50 lbs.
- Walnut grain laminate top, chrome base
- Easy spring-loaded height adjustment
- 4-point "H"-base with 2 locking dual wheel nylon casters
- Some assembly required
- Limited 5-year manufacturer warranty**

Cat. no.DescriptionC11610H-shaped base overbed table, walnut



Cardinal Health[™] Lighting Products

Halogen exam light

- Dichroic film-coated reflectors filter out up to 80 percent of beam heat
- Flexible, "no-drift", 24 in. gooseneck
- Heat sink technology helps removes bulb socket heat and keeps the housing cool
- 540° rotation of light head and gooseneck arm
- Internal power cord exits the weighted base at floor level
- Non-metallic head eliminates heat
- · High intensity, low voltage, 35 watt bulb included
- 1,500 foot candles at 24 in.
- Color temperature 3000° Kelvin
- Bulb life: 4,000 hrs.
- Light pattern: 7 in. at 24 in.
- UL- and CUL- certified
- Limited 1-year manufacturer warranty**

Cat. no.	
Cat. IIO.	
C18100	

Description Floor-standing, 35 watt halogen light

LED light

- Eco-friendly LED light
- Flexible, "no-drift", 23 in. gooseneck that's easy to maneuver
- Can extend up to 66 in. high
- Cool to the touch for enhanced safety
- 170° rotation of light head from left to right
- High intensity, over 20,000 lux at 18 in. distance
- Smooth, easy-to-clean head and flexible arm
- High intensity, low voltage, 12 watt LED bulb included
- Power cord is detachable and exits the weighted base at floor level
- Base diameter: 13 in. (33.02cm)
- Cord length: 10 ft. (304.8cm)
- Color temperature: 4000°K
- Bulk brightness: 880 lumens, 5 in. beam diameter at 18 in. distance
- Bulb wattage: 12 watts
- Bulb life: 50,000 hours
- Limited 1-year manufacturer warranty**

Cat. no.	Description	
C19100	Floor-standing, 12 watt eco-series LED light	

Caster base accessory

Cat. no.	Description
C200165	Beige five caster base compatible with both the LED and halogen light

**See full warranty information in product packaging insert

To order call 800.964.5227





Cardinal Health[™] Waste Cans

32 qt. square metal waste can

- Dimensions: 12.25 in. (width) x 11.5 in. (dia.) x 18.25 in. (height)
- Steel outer can and lid with removable plastic inner liner
- Step-on foot pedal opens lid
- Enamel finish
- Ideal for exam rooms, restrooms and front office areas
- Hazardous waste label included
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C35266	Square, metal, 32qt. (8 gal.), white

32 qt. square metal waste can

- Dimensions: 12.25 in. (width) x 11.5 in. (dia.) x 18.25 in. (height)
- Steel outer can and lid with removable plastic inner liner
- Step-on foot pedal opens lid
- Enamel finish
- Ideal for exam rooms, restrooms and front
 office areas
- Hazardous waste label included
- Limited 5-year manufacturer warranty**



Description

Square, metal, 32qt. (8 gal.), red



Recommended can liner

Cat. no.	Description	Packaging
2433R8CLR	8 micron 24 in. x 33 in. 16 gal, clear	50 ea/rl, 20 rl/cs

More options are available. Please contact your local Cardinal Health sales representative for more information.



Cardinal Health[™] Kick Bucket

Kick bucket and frame

- Non-corrosive stainless steel construction
- Heavy-duty, durable
- 360 degree rubber bumper on frame
- 13 quart size (3.25 gallons)
- 2 in. (5.08cm) rubber casters
- Limited 5-year manufacturer warranty**

 Cat. no.
 Description

 CAKB1001ST
 Stainless Steel Kick Bucket and Frame



Cardinal Health[™] Utility Carts

Plastic utility cart

- Height: 37 in.
- Weight capacity: 200 lbs.
- Great all-purpose cart for easy transport of supplies and materials
- 3 ABS plastic shelves: 21.75 in. x 16 in.
- Roomy 12 in. between shelves
- 4 non-locking, ball bearing polyurethane casters for control and ease
 of movement
- Easy to assemble
- Limited 5-year manufacturer warranty**

Cat. no.	Description
C63530	Plastic utility cart with non-locking casters



Cardinal Health[™] Integrated Wall Systems by Welch Allyn

Integrated wall systems

The Cardinal Health[™] Integrated Wall System puts essential diagnostic tools more easily within reach. For one exam room or for an entire facility, the Cardinal Health[™] Integrated Wall System is configurable to include your choice of ophthalmoscopes, otoscopes, thermometry and blood pressure devices. Help ensure your facility receives reliable diagnostic patient data in a consistent and energy-efficient manner to help improve workflows and your bottom line.

Features

- · Automatic on/off switch can help to reduce costs
- Elimination of physical on/off switch can help to reduce contact and risk of cross-contamination
- Configurable to include ophthalmoscopes, otoscopes, thermometers, blood pressure devices
- · Increase productivity by having instruments/cuffs in one central location
- Easy to install

Cat. no.	Description
CDS7791PX	Wall Transformer with PanOptic Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser and SureTemp Plus 690 Thermometer and Wall Board
CDS7791X	Wall Transformer with Coaxial Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer and Wall Board
CDS7792	Wall Transformer with Coaxial Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser and Wall Board
CDS792NOBP	Wall Transformer with Coaxial Ophthalmoscope, MacroView Otoscope, KleenSpec Specula Dispenser and Wall Board



Integrated Wall System with Coaxial Ophthalmoscope



Intregrated Wall System with PanOptic

**See full warranty information in product packaging insert

To order call 800.964.5227





For more information or to order, contact your Cardinal Health sales representative today, call 800.964.5227 or visit cardinalhealth.com.

cardinalhealth.com

Cardinal Health Waukegan, Illinois